F | G. 1







FIG. 2












FIG. 4

									405	File name	File size	Attribute	Starting cluster	Update flag
													.—-	
	403	Medium 1D	Region info.	Cluster size	Sector size	Empty region	FAT memory	Update flag		404	Access info.	Slot No.	Same name flag	
			`\										/	7
I I			_				z				\		- - / /	
400		System	5 - -	C I _A	1		C I _N	2	fo.		_ }	/		
400	401	Priority System	- -	1 CI_A	2		_ I O _ N	402	File info.	- L	_	7-1-1		
400	401	ority		ON 1 CI_A	OFF 2 —			402	ID File	- 1	 - - - -	_		
400	401	Priority		1			z	402	File		 - - - -	- -		Δ

F I G. 5


			400A								
		401A									
Slot No	lns. flag	Priority	System info.								
Α	OFF	1	_								
В	OFF	2									
N	OFF	N	_								
		40	2A								
	Open ID	File in	f o.								
ſ	1		 								
.	·										
	2										
	М										






F I G. 7


	403B	Medium ID: 0001	Region info.: $MBR = 0$, $PBS = 39$, $FAT = 40$,	Cluster size: 16 KB	Sector size: 512B	Empty region: 100000 sector	FAT memory:	Update flag:OFF						
400B		System		C I _A				8	ő	- -]
	401B	Priority		1	2	•••••	Z	402B	File info.		1	1	 1	
 		Ins.	ತ್ತರ -	NO	OFF	••••••	OFF		Open 1D		-	2	 Σ	
		Slot No.		٧	8		Z	•						1 1








F I G. 9


Same name flag: A, N Starting cluster: 10	404C File name: FILE File size: 1600 O.:A Attribute: Read flag: A, N Starting cluster		ity	
	\Update flag: OFF			Σ
		 Т		
	: A Attribute: Read	 / /	1	2
Slot No. : A Attribute: Read	info. File size:		F - 1	-
File size: 16000 Slot No.: A Attribute: Read		- - - - - - - - - -		
FIL—1 Access info. File size: 16000 Attribute: Read	/ File name:	 ;]	-	1
# 404C File name: FILE1 Access info. File size: 16000 File size: 16000 File size: 16000 Attribute: Read	405C			1
File info.		·	402	
# 402C File info. Access info. File size: 16000 Attribute: Read		 	Z	N O
ON N CI_N 402C 400 File info. Access info. Slot No. : A Attribute : Read				•••••
		 	2	OFF
OFF 2 — ON N CI_N A02C A02C Open ID File info. 1 FI_11 2 — Slot No. : A Attribute: Read		1	1	NO
OFF 2 — 402 404 404C File name: F1LE1 Access info. File size: 16000 2 Attribute: Read A				
ON 1 CI_A OFF 2 — ON N CI_N A02C A02C Open ID File info. File name: FILE1 1 FI_1 2 — Slot No.: A Attribute: Read		system info.		
Ins. Priority System		 [Ins. flag
No. Ins. Priority System ON 1 C!_A		- -	401	
404C File name: FILE1 File size: 16000 Attribute: Read		r-		401C




















FIG. 14

403	Medium ID	Region info.	Clustersize	1 0 1 -	-	Empty region	FAT memory	Update flag		403D	Medium ID	Region info.	Sector size	Empty region	Space Bitmap memory	Update flag
Ĺ.					- <i></i>		/ - -/	/	/	·						
		System info.		C I _A				2								
400D		Type of File system		1 (FAT)				2(001)	402	ה ישלים	ر د	F I _ 1	F1_2			
	401D	Priority		_	2		- 2	z		0 0 0	5		2	••••••	Σ	
		Ins. flag		NO	OFF			z O		C	יו		<u> </u>		<u> </u>	
		Slot No.		٧	8		- :	z								